

# cp. FOODLAB Ltd

Food, Water, Sewage and Environmental  
Specialized Laboratory

25 Polyphonti, 2040 Strovolos  
T.K. 28729, 2082 Nicosia- CYPRUS  
Tel. :+(357) 22 45 68 60, 1,2,3  
Mob. : +(357) 99 42 68 78  
Fax. : +(357) 22 32 15 17

## LABORATORY RESULTS

**Name** : United Umber Industries  
: (P.O. Box . 40342, 6303 Larnaca)  
**Sample No** : 90861  
**Sampling by** : United Umber Industries  
**Sample Characteristics** : Sample *No.180* in a plastic box, temperature (30°C).  
: (Received in good condition)  
**Date in Lab** : 23/06/08  
**Date of Analysis** : 25/06-16/07/08  
**Date of Report** : 17/07/08

## RESULTS

Parameter	Methods of examination	Units	90861
pH(26°C)10%	*BS3483.Part. Ch:1982		7.1
Moisture & Volatile	*Mthd-fd-mtr	%	2.69
Water soluble salts	*BS 3483.Part Cl.March 1974	%	1.48
Oil Absorption	*ISO 787/5. 1980 E	g/100g	59.05
Ignition Loss	*QIA VI10	%	7.93
Manganese (MnO <sub>2</sub> )	*Mthd-fd-ICP	%	9.52
Calcium oxide (CaO)	*Mthd-fd-ICP	%	3.19
Phosphorous oxide (P <sub>2</sub> O <sub>5</sub> )	*Mthd-fd-ICP	%	1.00
Sodium oxide (Na <sub>2</sub> O)	*M /Na/ff.X/06	%	0.20
Potassium oxide (K <sub>2</sub> O)	*Mthd-fd-ICP	%	0.43
Aluminium oxide (Al <sub>2</sub> O <sub>3</sub> )	*Mthd-fd-ICP	%	3.46
Iron oxide (Fe <sub>2</sub> O <sub>3</sub> )	*Mthd-fd-ICP	%	45.71
Magnesium oxide (MgO)	*Mthd-fd-ICP	%	2.26
Manganese (Mn)	*Mthd-fd-ICP	%	6.02
Arsenic (As)	*Mthd-fd-ICP	mg/kg	349.9
Barium (Ba)	*Mthd-fd-ICP	mg/kg	914.0
Cadmium (Cd)	*Mthd-fd-ICP	mg/kg	40.8
Chromium (Cr)	*Mthd-fd-ICP	mg/kg	56.8
Cooper (Cu)	*Mthd-fd-ICP	mg/kg	813.9
Lead (Pb)	*Mthd-fd-ICP	mg/kg	307.0
Mercury (Hg)	*Mthd-fd-ICP	mg/kg	<0.2
Selenium (Se)	*Mthd-fd-ICP	mg/kg	<1.1

### \*Notes:

1. The results are good only for the sample tested.

For the cp FoodLab Ltd



C. Papastefanou, Director