

cp. FOODLAB Ltd

Food, Water, Sewage and Environmental
Specialized Laboratory

25 Polyphonti, 2040 Strovolos
T.K. 28729, 2082 Nicosia- CYPRUS
Tel. :+(357) 22 45 68 60, 1,2,3
Mob. : + (357) 99 42 68 78
Fax. :+(357) 22 32 15 17

LABORATORY RESULTS

Name : United Umber Industries
: (P.O. Box . 40342, 6303 Larnaca)
Sample No : 90859
Sampling by : United Umber Industries
Sample Characteristics : Sample *black* in a plastic box, temperature (30°C).
: (Received in good condition)
Date in Lab : 23/06/08
Date of Analysis : 25/06-16/07/08
Date of Report : 17/07/08

RESULTS

Parameter	Methods of examination	Units	90859
pH(26°C) 10%	*BS3483.Part. Ch:1982		6.9
Moisture & Volatile	*Mthd-fd-mtr	%	2.00
Water soluble salts	*BS 3483.Part Cl.March 1974	%	0.88
Oil Absorption	*ISO 787/5. 1980 E	g/100g	50.58
Ignition Loss	*QIAVI 10	%	6.61
Manganese (MnO ₂)	*Mthd-fd-ICP	%	15.08
Calcium oxide (CaO)	*Mthd-fd-ICP	%	1.98
Phosphorous oxide (P ₂ O ₅)	*Mthd-fd-ICP	%	0.93
Sodium oxide (Na ₂ O)	*Meth/Na/ff.X/O6	%	0.63
Potassium oxide (K ₂ O)	*Mthd-fd-ICP	%	0.73
Aluminium oxide (Al ₂ O ₃)	*Mthd-fd-ICP	%	4.84
Iron oxide (Fe ₂ O ₃)	*Mthd-fd-ICP	%	41.56
Magnesium oxide (MgO)	*Mthd-fd-ICP	%	2.51
Manganese (Mn)	*Mthd-fd-ICP	%	9.53
Arsenic (As)	*Mthd-fd-ICP	mg/kg	385.9
Barium (Ba)	*Mthd-fd-ICP	mg/kg	886.8
Cadmium (Cd)	*Mthd-fd-ICP	mg/kg	38.1
Chromium (Cr)	*Mthd-fd-ICP	mg/kg	55.4
Cooper (Cu)	*Mthd-fd-ICP	mg/kg	984.0
Lead (Pb)	*Mthd-fd-ICP	mg/kg	357.4
Mercury (Hg)	*Mthd-fd-ICP	mg/kg	<0.2
Selenium (Se)	*Mthd-fd-ICP	mg/kg	<1.1

*Notes:

1. The results are good only for the sample tested.

For the cp FoodLab Ltd



C. Papastefanou,
Director

* Is not within the scope of the laboratory accreditation.

End of Report

This is a scientific report and it cannot be used for advertising or similar purposes without the written permission of the laboratory'.

Cp FoodLab is an independent private accredited laboratory
E-mail: foodlab@cytanet.com.cy web: www.foodlab.com.cy